

Performance You Rely On










Cummins Onan
Digital Display

QD Series—Quiet Diesel
4 kW to 99 kW

QG Series—Quiet Gasoline
8 kW to 10 kW







- Most technically advanced marine generators available
- Global leader in marine generator production
- Reliable products
- Low vibration and noise
- Easy to install
- Outstanding performance
- Digital power for your digital world
- Electronic governing for quality power
- Self protective shutdowns
- Extensive diagnostic information
- Transferable 5-year warranty
- Largest worldwide distributor/dealer network in the industry






Cummins Onan Marine Generators

Model	kW	Hz	Cyl	RPM	Ph	Voltage	Amps	Length x Width x Height, mm (in) Unhoused/Housed	Weight kg (lb) (dry)
QD Series-Diesel									
4/5 QD MDKBH 	5	60	2	2900	1	120	41.7	Not available unhoused 662 (26) x 511 (20.1) x 524 (20.6)	159 (350)
	4	50		2400		120/240 115/230 120/240	41.7/20.8 34.8/17.4 33.3/16.6		
7/9 QD MDKBL 	9	60	3	1800	1	120	75	911 (35.9) x 566 (22.3) x 585 (23.0) 911 (35.9) x 566 (22.3) x 593 (23.4)	252 (555) 272 (600)
	7	50		1500		120/240 115/230 120/240	75/37.5 60.9/30.4 58.3/29.2		
7/9 QD Space Saver MDKBK 	9	60	3	1800	1	120	75	823 (32.4) x 479 (18.9) x 562 (22.1) Not available housed	238 (525)
	7	50		1500		120/240 115/230 120/240	75/37.5 60.9/30.4 58.3/29.2		
9.5/11.5 QD MDKBM 	11.5	60	4	1800	1	120	95.8	1033 (40.7) x 566 (22.3) x 585 (23.0) 1033 (40.7) x 566 (22.3) x 593 (23.4)	290 (640) 315 (695)
	9.5	50		1500		120/240 115/230 120/240	95.8/47.9 82.6/41.3 79.2/39.6		
11/13.5 QD MDKBN 	13.5	60	4	1800	1	120	112.5	1033 (40.7) x 566 (22.3) x 585 (23.0) 1033 (40.7) x 566 (22.3) x 23.4 (593)	290 (640) 315 (695)
	11	50		1500		120/240 115/230 120/240	112/56.3 95.7/47.8 91.7/46		
13.5/17 QD MDKBP 	17	60	4	1800	1	120/240	141.7/70.8	1127 (44.4) x 602 (23.7) x 664 (26.1) 1127 (44.4) x 602 (23.7) x 698 (27.5)	377 (830) 890 (404)
					3	127/220	55.8		
	13.5	50		1500	1	115/230	117.4/58.7		
17.5/21.5 QD MDKBR 					3	120/208	46.8		
	21.5	60	4	1800	1	120/240	179/89.6	1127 (44.4) x 602 (23.7) x 664 (26.1) 1127 (44.4) x 602 (23.7) x 698 (27.5)	395 (870) 422 (930)
					3	127/220	70.5		
17.5	50		1500	1	115/230	152.2/76.1			
					3	220/380	33.2		





For a complete list of voltage options, please contact your nearest distributor/dealer.

Cummins Onan Marine Generators

Model	kW	Hz	Cyl	RPM	Ph	Voltage	Amps	Length x Width x Height, mm (in)		Weight kg (lb) (dry)
								Unhoused/Housed		
22.5/27.5 QD MDKBT 	27.5	60	4	1800	1	120/240	229.2/114.6	1358 (53.5) x 602 (23.7) x 732 (28.8)	490 (1080)	
	22.5	50		1500	3	240/416	47.7	1358 (53.5) x 602 (23.7) x 763 (30.0)	522 (1150)	
					1	115/230	195.7/97.8			
3	220/380	42.7								
27/32 QD MDKBU 	32	60	4	1800	1	120/240	266/133	1358 (53.5) x 622 (24.5) x 737 (29.0)	612 (1350)	
	27	50	4	1500	3	240/416	55.5	1358 (53.5) x 622 (24.5) x 763 (30.0)	648 (1430)	
					1	115/230	235/117			
3	220/380	51.3								
40 QD MDDCA (60 Hz) 	40	60	4	1800	1	120/240	333.4/166.7	1734 (68.3) x 822 (32.4) x 994 (39.1)	972 (2143)	
					3	240/416	69.4	1738 (68.4) x 840 (33.1) x 1039 (40.9)	1072 (2363)	
						120/208	138.8			
						120/240	120.3			
40 QD MDDCF (50 Hz) 	40	50	4	1500	1	115/230	347.8/173.9	1734 (68.3) x 822 (32.4) x 994 (39.1)	998 (2200)	
					3	230/400	72.2	1738 (68.4) x 840 (33.1) x 1039 (40.9)	1098 (2420)	
						120/208	138.8			
						220/380	76.0			
50 QD MDDCG (50 Hz) 	50	50	4	1500	1	115/230	434.8/217.4	1779 (70.0) x 822 (32.4) x 994 (39.1)	1067 (2352)	
					3	230/400	90.2	1783 (70.2) x 840 (33.1) x 1039 (40.9)	1167 (2572)	
						120/208	173.5			
						220/380	95.0			
55 QD MDDCB (60 Hz) 	55	60	4	1800	1	120/240	458.4/229.2	1779 (70.0) x 822 (32.4) x 994 (39.1)	1067 (2352)	
					3	240/416	95.4	1783 (70.2) x 840 (33.1) x 1039 (40.9)	1167 (2572)	
						120/208	190.8			
						120/240	165.4			

Model	kW	Hz	Cyl	RPM	Ph	Voltage	Amps	Length x Width x Height, mm (in)		Weight kg (lb) (dry)
								Unhoused/Housed		
65 QD MDDCC (60 Hz) 	65	60	4	1800	1	120/240	541.6/270.8	1779 (70.0) x 822 (32.4) x 994 (39.1)	1067 (2352)	
						3	240/416	112.8	1783 (70.2) x 840 (33.1) x 1039 (40.9)	1167 (2572)
							127/220	213.2		
							120/240	195.5		
65 QD MDDCH (50 Hz) 	65	50	6	1500	1	115/230	565.2/282.6	2142 (84.3) x 822 (32.4) x 994 (39.1)	1320 (2910)	
						3	240/416	112.8	2146 (84.5) x 840 (33.1) x 1039 (40.9)	1434 (3161)
							230/400	117.3		
							220/380	123.4		
80 QD MDDCD (60 Hz) 	80	60	6	1800	1	120/240	666.6/333.3	2142 (84.3) x 822 (32.4) x 994 (39.1)	1320 (2910)	
						3	277/480	120.3	2146 (84.5) x 840 (33.1) x 1039 (40.9)	1434 (3161)
							240/416	138.8		
							120/240	240.6		
80 QD MDDCJ (50 Hz) 	80	50	6	1500	1	115/230	695.6/347.8	2142 (84.3) x 822 (32.4) x 994 (39.1)	1320 (2910)	
						3	240/416	138.8	2146 (84.5) x 840 (33.1) x 1039 (40.9)	1434 (3161)
							230/400	144.3		
							220/380	151.9		
99 QD MDDCE (60 Hz) 	99	60	6	1800	1	120/240	825.0/412.5	2142 (84.3) x 822 (32.4) x 994 (39.1)	1320 (2910)	
						3	255/440	162.4	2146 (84.5) x 840 (33.1) x 1039 (40.9)	1434 (3161)
							120/208	343.5		
							120/240	297.7		

Cummins Onan Marine Generators

Model	kW	Hz	Cyl	RPM	Ph	Voltage	Amps	Length x Width x Height, mm (in) Unhoused/Housed	Weight kg (lb) (dry)
Mechanical Series									
MDKUB 	6.5	60	2	3600	1	120	54.2	Not available unhoused	173 (380)
	5.5	50		3000		120/240 115/230 110/220	54/27.1 47.8/23.9 50/25	710 (28) x 553 (21.7) x 596 (23.5)	
QG Series—Gasoline									
8 QG MGKBD 	8	60	3	2400	1	120	66.7	Not available unhoused	193 (425)
						120/240	66.7/33.3	676 (26.6) x 583 (23) x 535 (21.1)	
8/10 QG MGKBC 	10	60	3	2900	1	120	83.3	Not available unhoused	193 (425)
						120/240	83.3/41.7	676 (26.6) x 583 (23) x 535 (21.1)	
	8	50		2400		115/230 120/240	69.6/34.8 66.7/33.3		
MKY Series—Gasoline—Pontoon boat installation only (air-cooled)									
MKY 	4	60	1	3600	1	120	33.3	Not available unhoused	83.4 (174)
	3.6	50		3000		230	15.7	762 (30) x 500.4 (19.4) x 351.1 (13.9)	

Ph=phase

Single phase output at 1.0 power factor.

Three phase output at 0.8 power factor.


About Cummins Onan

Cummins Onan Generators is a brand of Cummins Power Generation, a subsidiary of Cummins Inc., (NYSE: CMI). Cummins Inc. is a global leader that manufactures, distributes and services engines, fuel systems, controls, air handling, filtration, emission solutions and electrical power generation. Headquartered in Columbus, Indiana, (USA) Cummins serves customers in more than 160 countries through its network of 550 company-owned and independent distributor facilities and more than 5,000 dealer locations. The Cummins Onan brand is found on generators and products manufactured for the RV, marine, commercial, residential and portable generator markets.

The following Cummins brands also offer marine products:

Cummins MerCruiser Diesel, a joint venture between Cummins Inc. and Mercury Marine, is the industry's premier "prop to helm" performance source for boaters around the world with diesel marine engines from 76–715 hp for commercial and recreational applications. For more information on propulsion products 15 L and below and prop to helm integrated solutions, including drives, props, controls and information systems, visit www.cmdmarine.com.

Cummins Marine offers a complete line of propulsion, generating set and auxiliary power solutions from 37–1900 kW (50–2547 hp), designed specifically for the challenges of commercial marine applications. Our products are supported by a global team of over 350 marine-certified distributors, offering sales, service and application expertise. Proven reliability, durability and technology. Every Time. Learn more about Cummins marine products by visiting our Web site <http://marine.cummins.com>.



"We're using the Cummins Onan QD and QG Series because The Riviera Group is always looking for cutting-edge technology."

**— Justin Lee Smith,
The Riviera Group**

Cummins Onan



Cummins Filtration designs, manufactures and distributes heavy-duty air, fuel, hydraulic and lube filtration, chemicals and exhaust system technology products for diesel and gas-powered equipment. For more information on filtration and exhaust products, new products and innovative technologies, visit www.cumminsfiltration.com.

Cummins Generator Technologies is the world's broadest range manufacturer of generators 0.6 kVA to nearly 30,000 kVA, covering many important applications for worldwide power requirements, including offshore and marine. Visit www.cumminsgeneratortechnologies.com for more information on Cummins Generator Technologies and associated brands MARKON, STAMFORD and AvK.

Cummins Power Generation
1400 73rd Ave. NE
Minneapolis, MN 55432
USA
Phone 1 763 574 5000
Toll-free 1 800 888 6626
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

Cummins Onan



Cummins®, Onan®, the “C” logo, and Performance you rely on™ are trademarks or registered trademarks of Cummins Inc.
©2007 Cummins Power Generation.
All Rights Reserved.